

MONROC CONTROL 2GR GREY

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap.



Art no:	RCRNA4SCR2TG/C1001009
Brew-groups	2
AC	2700 W
Dimension machine	Width: 650 Height: 480 Depth: 530
Range	Coffee, Tea
Electricity	1-phase
Water filling	Automatic



WITH A PASSION FOR COFFEE

Crem International has two very strong brands – Coffee Queen and Expobar. Under the brand Coffee Queen, we have brought together all our machines for freshly brewed and instant coffee, water and juice. Under the brand Expobar, we offer our top-quality espresso machines. All our machines are made by skilful and experienced staff at our own factories in Sweden, Spain and China. With these two brands, we offer the widest range on the market and can satisfy all needs and wishes.



MONROC

Monroc is an efficient espresso machine that fulfils all demands for a nice espresso in a simple and easy way. The user-friendly functions of the machine are based on well-tried technology and by skilful and professional craftsmen. This means that Monroc is a reliable and solid machine that you can really trust, every day – year after year.

Monroc is very suitable for smaller cafés and restaurants where you wish to serve espresso, cappuccino, caffé latte or other espresso based drinks.



Components of the highest quality



Control

MODELS



Control 2 GR



Pulser 2 GR

ACCESSORIES



Movie
Grinder



Tranquilo
Grinder



Marfil
Grinder



Expobar 600
Grinder



Expobar 600
Grind on Demand



Expobar 30
Grind on Demand
(available as double)



Decorative
Dome

FEATURES

Monroc is a two-group espresso machine with automatic water filling and a steam tank with a 11.5 litre capacity. Monroc has an electronic cup dosage in order to easily be able to pre-programme the required amount of water for various cup sizes.

FEATURES

- Built-in volumetric motor pump, complete with two retention valves and solid particle filter
- Copper boiler with heat exchanger per group and pressure relief valve
- Group head with direct pre-infusion chamber
- One steam arm and one hot water tap
- Heating element low water level auto cut-off

PULSER

- Auto-fill water boiler

CONTROL

- 4 different programmable coffee doses per group
- Auto-fill water boiler
- Automatic back-flush brewing group

OPTIONAL

- Available in Takeaway design

STANDARD ACCESSORIES

- 1 single filter handle
- 1 double filter handle
- 0.5 metre connection hose
- 1 cleaning membrane



TECHNICAL SPECIFICATIONS

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm
2	2500W/230V	11.5	650	530	430