


OFFICE CONTROL 1 GR

Mini automatic espresso coffee machine with 1 group, electronic switchboard to control the coffee dosages volumetrically, 2,75 litres water tank, and copper boiler with 1,5 litres capacity with heat exchanger per group. One steam tap and one hot water tap.

1 gruplu , hacimsel dozajları kontrol etmek için elektronik kontrol merkezi, 2.75 lt. su tankı ve her 1.5 lt, grup başına ısı değıştirici ile 1,5 litre kapasiteli bakır kazanlı Mini otomatik espresso kahve makinesi . Bir buhar musluğu ve bir su musluğu.



Art no:	ECONA0SCD1MI
Brew-groups	1
AC	1200 W
Dimension machine	Width: 240 Height: 400 Depth: 420
Range	Espresso
Electricity	1-phase
Water filling	Manual



WITH A PASSION FOR COFFEE

Crem International has two very strong brands – Coffee Queen and Expobar. Under the brand Coffee Queen, we have brought together all our machines for freshly brewed and instant coffee, water and juice. Under the brand Expobar, we offer our top-quality espresso machines. All our machines are made by skilful and experienced staff at our own factories in Sweden, Spain and China. With these two brands, we offer the widest range on the market and can satisfy all needs and wishes.



ACCESSORIES



Movie Grinder



Tranquilo Grinder



Marfil Grinder



Expobar 600 Manual



Expobar 600 Grind on Demand



Expobar 30 Grind on Demand
(available as double)



OFFICE

Office is a small and compact espresso machine that goes just as well in the office as at home. Despite its size, the machine is, of course, built with the same well-tested technology and genuine craftsmanship as all the other Expobar machines. The Office machine comes in a number of models in order to fit in wherever you wish to serve espresso. Thanks to Office, the perfect espresso can be prepared in most places.

FEATURES

Office comes with one group head and one boiler as standard. One of the Office models, however, is available with dual boiler system: one boiler for steam, hot water and to pre-heat the water entering to the boiler. The second boiler keeps the right temperature of water for the extraction of coffee. This allows to make coffee and use steam at any time! This model comes complete with the latest generation PID sensor to guarantee a consistent brewing temperature.



Display to adjust the temperature.

Two pressure gauge

Electronic control panel

Components of the highest quality

MODELS



Pulser



Control



Leva EB-61



Leva EB-61, 2 Boilers



Pulser with grinder



Control with grinder

OPTIONS



Group Capsule

FEATURES

- Built-in vibration motor pump
- Copper boiler with heat exchanger per group and pressure relief valve professional style
- Group head with direct pre-infusion chamber (pulser & control)
- One steam arm and one hot water tap, professional
- Auto-fill water boiler
- Heating element and water pump low water level auto cut-off
- Water softener incorporated
- 2.75 litre water tank

CONTROL

- 4 different programmable coffee doses per group
- Automatic back-flush group head

LEVA EB-61

- Group heads EB-61 with lever, made of bronze of the highest quality

LEVA EB-61 2 BOILERS

- Dual boiler system: one for steam, hot water and to pre-heat the water entering the boiler and one for the extraction of coffee (via the group head)
- Maximum precision temperature control using PID technology
- The steam arm is heat insulated and does not get hot when used
- Two pressure gauges: one for reading steam boiler pressure and one for pump pressure
- Insulated boilers to help reducing heat loss

- WITH BUILT-IN GRINDER
- Takeaway design
 - 285W grinder
 - 60 mm diameter cutting blades

OPTIONAL

- Connection to water mains
- Capsule brewing group
- Optional machine leg set
- Voltage 110V
- Volumetric motor pump

STANDARD ACCESSORIES

- 1 double filter handle
- 1 single filter basket
- 1 tamper
- 1 coffee doser spoon
- 1 cleaning membrane



TECHNICAL SPECIFICATIONS

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm
1 Group Control & Pulser	1200W/230V	1.5	240	420	400
1 Group with grinder	1485W/230V	1.5	400	450	550
1 Group Leva EB-61	1200W/230V	1.5	260	450	380
1 Group Leva EB-61, 2 Boilers	1200W/230V	1.5 + 1.5	260	450	400